
# Oil and Gas Industry Air Shed Management **UDAQ Modeling Strategy**


January 9, 2007






# **WRAP Modeling Domain 12 kilometer resolution**

- •Single model run produced by WRAP
- •Model output tested for this area with good results
- Not the latest inventory
- •Will not be run at this resolution for 2018







# **WRAP Modeling Domain 36 kilometer resolution**

- •Latest modeling with most up-to-date inventory = 2002
- •WRAP will model with emissions projected to 2018
- •This will provide a coarseresolution view of the effect of projected growth

# Emissions from oil and gas in WRAP region






### Example summertime ozone, 6 August 2002

# Layer 1 O3a CAMX 4.31 wrap36km 20020806 avrg 0.080 89 0.060 0.040 0.040 PPM August 6.2002 18:00:00 mine 0.017 at (42.18), Maxe 0.126 at (77.52)

Mesa Verde NP: 65 ppb max hourly concentration

## Example ozone increase from O&G emissions, August 2002




Preliminary CAMx assessment of oil and gas emissions on ozone in the Four Corners region

Mike Barna - Air Resources Division, National Park Service Largest impacts from O&G emissions on regional ozone occur in Four Corners at Mesa Verde NP on 6 August 2002


- 8 ppb ozone enhancement
- Peak ozone concentrations of 65 ppb






# Mitigation Assessment Modeling Four Corners Air Quality Task Force

- •4 kilometer resolution
- •Air quality modeling results due midsummer, 2007
- •Will use updated 2005 inventory, will model projected 2018 inventory and include several mitigation strategies defined by the task force





4 kilometer modeling will provide most refined results to date

Assessment of impacts at Mesa Verde and Canyonlands will provide guidance for the usefulness of high resolution modeling in the Uintah Basin

# Potential to increase model resolution for better characterization of emissions and transport in the Uintah Basin

12 kilometer grid cells



